From: <u>Delgado, Paige</u>
To: <u>Don Edgington</u>

Subject: Re: [EXTERNAL]FI Doyle Salvage (Pace Project # 75100227)

Date: Wednesday, January 2, 2019 8:12:01 PM

## Thanks

Paige Delgado EPA Region 6 OSC 469.371.2529

On Jan 2, 2019, at 7:46 PM, Don Edgington < d.edgington @erllc.com > wrote:

Everyone-

Sample results for composite sample of bulked organic liquids. No PCBs observed.

Don

From: Spaceport Email Notification < <u>amy.bryant@pacelabs.com</u>>

Sent: Wednesday, January 02, 2019 1:06 PM

To: <u>amv.bryant@pacelabs.com</u>; Evan Wortman <<u>e.wortman@erllc.com</u>>; Don

Edgington < <u>d.edgington @erllc.com</u>>

**Subject:** [EXTERNAL]FI Doyle Salvage (Pace Project # 75100227)

\*\*\*CAUTION\*\*\* This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.



## **Pace Automated Email Notification**

This email contains EDDs and Reports generated by Paceport's automated deliverable service. The attached files have been authorized to be sent to you due to the completion of project 75100227. Your Pace project manager has been CC'ed on this email so that you may request any further assistance.

To access this project's page in paceport click on the following link. http://paceport.pacelabs.com/ClientPortal/mvc/projectDetails/modelAndView? projectID=75100227&systemID=lims75 Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.

<75100227\_frc.pdf>